

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S101A	J13095A J13096A J13098A J13099A J13101A J13102A J13104A J13105A J13107A J13108A	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310		A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type
	S101B	3084643 3082983 3084668 3081437 3084727 3081436 3085385 3083330 3087703 3083331 3084443	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310 Φ0.320	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Diamond
	S101s	3082283 3080046 3083863 3080053 3081482 3080047 3081771 3080629 3086400 3081934 3080063	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310 Φ0.320	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Sapphire
	S101D	0206800 0206801 0206803 0206804 0206806 0206807 0206809 0206810 0206812 0206813	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Black diamond
	S102	3080237 3080240 3080244 3080248 3080250 3080236 3080512 3080243 3080247	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31 Φ0.105 Φ0.155 Φ0.205 Φ0.255	Common	AP. AW. BF. EPOC series Guide unit 83.84.85.KM Manual type Ref : 3080251 - Φ0.32

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S103	3080998 3080999 3081000 3080982 3080990 3081017 3080991 3081419 3081420 3081421 3081423 3081915	Φ0.11 Φ0.16 Φ0.21 Φ0.22 Φ0.26 Φ0.27 Φ0.31 Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	A. AF. AP. AQ. BF. EPOC. EXC. JL. PGW... Common for standard / Manual type Lower for guide unit 87-3 / AWT type Ref. : 3081018 - Φ0.320 0206110 - Φ0.260
	S103T	118746A 118767A 3087331 3087333 3087334	Φ0.155 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Lower	A. AF. AP. AQ. BF. EPOC. EXC. JL. series Lower for guide unit 87-3 / AWT type For Tapper 50° degree
	S103L	3081717 3081490 3081136 3081138 3081139	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	A280. A320L. A--- series Upper for guide unit 87-3L AWT tapper type
	S104	3080210 3080213 3080219 3080223 3080225 3080227 3080229 3085043 0200120 3080218 3080222	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31 Φ0.35 Φ0.40 Φ0.60 Φ0.155 Φ0.205 Φ0.255	Common	AQ. A. EPOC. AP. BF. JL. PGW. EXC series Guide unit 83.84.85.86.90 type AWT type Ref. : 3080226 - Φ0.320 3080224 - Φ0.270
	S105	3080065 0205586	Φ10/0.8x10H	Lower	Sapphire sub guide C Guide unit 86-1 type AWT type
	S106	3080069 0200197	Φ0.32	Upper	Sapphire sub guide D Guide unit 86-1.87-1.90-1.90-3 AWT type
	S107	3082269 0204677	Φ10/2.0x10H	Upper	Sapphire sub guide C1 Guide unit 86-1.87-1.90-1.90-3 AWT type

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S108s	118762A 118745A 118758A 118725A 118759A 118726A 118760A 118727A	Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.310	Upper Dice AQ-1U(S)	AD, AG, AP. AQ series Dice AQ-1U (S) Super jet AWT option 0 type, Single diamond 0206048 - Φ0.110, 0205992 - Φ0.155 0206049 - Φ0.160, 0206043 - Φ0.205 0206050 - Φ0.210, 0205895 - Φ0.255 0206051 - Φ0.260, 0205993 - Φ0.310
	S109w	3110253 3110259 3110545 3110058 3110546 3110291 3110547 3110067	Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.310	Upper Dice AQ-1U(W)	AD, AG, AP. AQ series Dice AQ-1U (W) FJ AWT type Single diamond 0206255 - Φ0.110, 0206257 - Φ0.160 0206158 - Φ0.205, 0206159 - Φ0.210 0206160 - Φ0.255, 0206161 - Φ0.260 0206163 - Φ0.310
	S110t	J17101A J17104A J17107A J17110A J17114A	0.105 0.155 0.205 0.255 0.305	Upper Dice AQ-1U(T)	AL, ALN Series Dice AQ-1U (T) FJ AWT type Double diamond
	S111	3089087 3089086 3088898 3089093 3089092 3088913 2089096 3089095 3089094	Φ0.205 Φ0.210 Φ0.220 Φ0.255 Φ0.260 Φ0.270 Φ0.305 Φ0.310 Φ0.320	R dice guide	Taper flex R dice, Super jet AWT option 45
	S112	3088980 0205639		Pin guide	AP200L, AP450L, AP500L, AP250L Diamond pin guide 90-1
	S113	3110135 0205799	Φ5/0.8x10L	Guide C10	AP650L, AP250L, AQ, AD,AG, SL Series FJ AWT type, Sapphire sub guide C10
	S114	J17100A	Φ0.6	Lower Guide G	AL, ALN Series
	S115	3110338 3110423	Φ0.22 Φ0.27		AD, AG, AP. AQ series FJ AWT type

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S116	J06539A J06541A J06543A J06545A J06547A J06549A J06553A J06555A	Φ0.005 Φ0.007 Φ0.009 Φ0.12 Φ0.17 Φ0.22 Φ0.32 Φ0.35	Common	AI, AD, AG, AQ, VL series Super Jet, FJ AWT
	S117A	J03638A J03639A J03640A	Φ0.105 Φ0.11 Φ0.12	Common	AD-, AG-, AQ-series 87-3 / AWT Old no : 0206100, 0206101, 0206102 Blue color dice
	S117B	J03641A J03642A J03643A	Φ0.155 Φ0.16 Φ0.17	Common	AD-, AG-, AQ-series 87-3 / AWT Old no : 0206103, 0206104, 0206105 White color dice
	S117C	J03644A J03645A J03646A	Φ0.205 Φ0.21 Φ0.22		AD-, AG-, AQ-series 87-3 / AWT Old no : 0206106, 0206107, 0206108 Yellow color dice
	S117D	J03647A J03648A J03649A	Φ0.255 Φ0.26 Φ0.27	Common	AD-, AG-, AQ-series 87-3 / AWT Old no : 0206109, 0206110, 0206111 Green color dice
	S117E	J03650A J03651A J03652A	Φ0.305 Φ0.31 Φ0.32	Common	AD-, AG-, AQ-series 87-3 / AWT Old no : 0206112, 0206113, 0206114 Red color dice

Sodick

Power Feed Contact

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S001	3080316	Φ18X10	Upper	AP150. AW. BF. EPOC~W series Guide unit 83 / AWT type
	S002	3080314	Φ18X14	Lower	AP150. AW. BF. EPOC~W series Guide unit 83.84 / AWT type
	S003S	3080318	16XΦ5.5x11.7	Upper	EPOC~W. G. GW. GOW series Guide unit 84 / AWT type Material : Silver tungsten
	S003c	3080318	16XΦ5.5x11.7	Upper	EPOC~W. G. GW. GOW series Guide unit 84 / AWT type Material : Silver coated copper tungsten
	S004S	3080324	14X11X12	Upper	AW. AP150. BF. EPOC series Guide unit 85-3 / AWT type Material : Silver tungsten
	S004c	3080324	14X11X12	Upper	AW. AP150. BF. EPOC series Guide unit 85-3 / AWT type Material : Silver coated copper tungsten
	S005LS	3080307	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver tungsten
	S005LC	3080307	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver coated copper tungsten
	S005RS	3080308	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver tungsten
	S005RC	3080308	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver coated copper tungsten
	S006S	3080311	12.5X19X11.6	Lower	AW. BF. EPOC~W. GO. GW series Guide unit 85-2.3 type Material : Silver tungsten
	S008S	3080320	Φ12X20.6	Common	AP150 series Guide unit KM-3 type Material : Silver tungsten
	S008C	3080303	Φ12X20.6	Common	AP150 series Guide unit KM-3 type Material : Silver coated copper tungsten

Sodick

Power Feed Contact

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S009s	3082579 0204388	Φ10X8X30	Common	A. AP. AQ. AW. EPOC series Guide unit 86-2 type Material : Silver tungsten
	S009c	3082580	Φ10X8X30	Common	A. AP. AQ. AW. EPOC series Guide unit 86-2 type Material : Silver coated copper tungsten
	S010	3085936 0204934 J04254A	4.9x40x20	Common	A. AP. AQ. AW. EPOC series Guide unit 87-3 type Tungsten carbide
	S010G	3085936	4.9x40x20	Common	A. AP. AQ. AW. EPOC series Guide unit 87-3 type TiN coated - Gold color
	S010L	3085936	4.9x40x20	Common	A. AP. AQ. AW. EPOC series Guide unit 87-3 type TiAlN coated - Grey color
	S011	3110330 0291051	4.9x10x40	Lower	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S012	3110031 0205810	18x8.5x9	Lower	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S013	3110034 0205811	12x12x5 ID=8	Lower	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S014	3110030 0205812	18x7.5x9	Middle	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S015	A12961D 0205880	Φ10xΦ6x28	Lower	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S016	3110034 C12420C 0205881	20x20x4	Lower	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S017	A12947C 0205882	Φ8xΦ3.2x16	Middle	AL, SL, AG, AQ, AP, AD, VL HBW series Super jet, FJ AWT
	S018	3084628 3080035 3080689 0204678	Φ11xΦ4x2	Cutter	A, AP, AQ, EPOC, EXC, W400135D series 85, 90, 97 type AWT

Sodick

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S201	3081594	Φ5	Common	AW330.453.654W. BF250.275. EPOC-W Guide unit 84 type
	S202	3082085		Common	AW330.454. BF275. EPOC300 series Guide unit 85-2 / Manual type
	S202A	3080030		Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S202B	3080593		Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S202C	3080358	Φ5	Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S202S	3080639		Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S203	3082056	Φ6	Common	AP150. PGW150 series Guide unit KM-3 type
	S204	3082055	Φ5	Common	AP. AW150 series Guide unit KM-1 type
	S205		Φ10	Common	AP. AW150 series Guide unit KM-2 type
	S206		Φ5	Common	AP150. AW150, EPOC series Guide unit KM-1 type
	S207	3082997 3082998 3081604 3081605 3081606 3081868	Φ3 - G3 Φ4 - G4 Φ6 - C Φ8 - H1 Φ10 - H2 Φ12 - T1	Upper	AQ. A. AP. EPOC. PGW. BF. JL. EXC series VZ500L series- SJ AWT type Guide unit 85, 86-2 / Manual type Guide unit 90-1, 97 / AWT type Ref : 118213 (W400886B) - Φ6
	S207-1		Φ3 Φ4 Φ6 Φ8 Φ10	Upper	AQ. A. AP. EPOC. PGW. BF. JL. EXC series Guide unit 85, 86-2 / Manual type Guide unit 90-1, 97 / AWT type
	S207L	3081682 3081683 3081684 3081685 3081689 3081690 3081696 3081697	Φ6.0x6.5 -LN1 Φ10.0x6.5 -LN2 Φ6.0x11.5 -LN3 Φ10.0x11.5 -LN4 Φ6.0x16.5 -LN5 Φ10.0x16.5 -LN6 Φ6.0x26.5 -LN7 Φ10x26.5 -LN8	Upper	AQ. A. EPOC. AP. PGW. BF. JL. EXC series Guide unit 85. 86-2. 90-1. 97 / AWTtype 2 Color of black and transparent











Sodick

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S208	3081677 3081678	Φ6.0x14.5H Φ10x14.5H	Common	A350.500. AW330. 454 series 87-3 type Old no : 0200755, 0200756
	S209	3082156 3082128 3082207 3081674 3081675 3081676 3081867	Φ2 -E2 Φ3 -E3 Φ4 -E4 Φ6 -A Φ10 -B Φ8 -H1 Φ12 -T1	Common	A. EPOC. AP. PGW. BF. JL. EXC series Guide unit 87-3 type Lower for AWT and Manual type (With O ring)
	S209-1	3086396 3086746 3086742	Φ6 Φ10 Φ12	Lower	AP200. 450L series Guide unit 90-3 / AWT type Without O ring
	S209-2	3085336 3085337	Φ6 Φ10	Lower	AQ. A. AP300. 550 series Guide unit 90-5 / AWT type Without O ring
	S209W	3086386 --- 3086443 3086486	Φ6 Φ8 Φ10 Φ12	Lower	AQ. A. AP300. 550 series Guide unit 87-3 / Without O ring Ref : 11802ID- Φ6, OD29.8/12.8x17.6H
	S209L	3085338 3085339 3085340 3085341 3085342 3085343	Φ6+4,, LA Φ4+10, LA10 Φ4+15, LA15 Φ6+20, LA20 Φ10+25, LA25 Φ12+50, LA50	Common	A. AP. AQ. BF. EXC. EPOC. JL. PGW Lower for guide unit 85.97 / AWT type Common nozzle A for Manual type OD=20mm Ref. 3081677(Φ6), 3081678(Φ10)
	S210	3082830 3082603	Φ12/3	Lower	A280L. ---L series Lehmann type / AWT type Nozzle F
	S210-1	3082603	Φ3	Lower	A280L.---L series Lehmann type / AWT type
	S210-2	3088448		Lower	A280L.---L series AWT type, Nozzle F
	S211	3110508 3110507 3110303	Φ28xΦ3x11.8H Φ28xΦ4x11.8H Φ28xΦ8x11.8H	Lower	AD, AG, AQ. VZ500L series Float nozzle, Super jet AWT Ref : old no 0205448
	S211-1	3110304 0205480 11802HC		Lower	AD, AG, AQ, VZ500L series Spring for S211, 212 of flat nozzle Super jet AWT
	S212	3110461	Φ28xΦ10x17.6	Lower	AD, AG, AQ series Float nozzle FJ AWT type

Sodick

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S213	3110463	Φ28xΦ6x15.8H	Lower	AD, AG, AQ series Float nozzle LS FJ type 4mm long type
	S214	3110469	Φ28xΦ10x15.8	Lower	AD, AG, AQ series Float nozzle LF FJ type 4mm long type
	S215	118720C 118717C 118718C J04245A	Φ15x1.2x7.2H Φ15x0.5x7.2H Φ15x0.8x7.2H Φ15x1.5x7.2H	Nozzle D	AD, AG, AQ series Super jet AWT option "0" Ref : old no. 0205843, 0205840, ~
	S216	3083621 0206095	Φ12x5H	Nozzle AD12	Nozzle AD12 Super jet AWT / Option 45° taper
	S217A	2995402	Φ15x1.2x6.6	Nozzle NSJ	Super jet AWT , FJ AWT Nozzle for option "0"
	S217B	2995402	Φ15x2.0x6.6	Nozzle NSJ	Super jet AWT ,FJ AWT Nozzle for option "0"
	S218	3088883 0206072	Φ11x10.3H	Lower	Float Nozzle T2 Super jet AWT Option 45° taper
	S219	2070129 0200702	Φ26	Common	O-ring for S209, 209-2, 210
	S220	3110361		Upper Dice cap	Move guide C type
	S221	3081837 0200778	Φ20/Φ6x10mm M16 tap		AD, AG, AQ series

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S301	3080178	66x50x16	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 90-1 / AWT type
	S302	3080652	77x50x20	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 87. 90-1, Center hole $\Phi 13.5$ Distance of side tap hole -25mm
	S303	3080978		Lower	BF275. EPOC500.600.800 series Insulation block
	S304	3082518	77x50x20	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 97 / AWT type, M5 tap Distance of side tap hole -35mm
	S305	3085759	57.5x50x20	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 97 / AWT type, M3 tap Distance of side tap hole -25mm
	S306		77x50x24	Upper	EPOC. AP. PGW. BF. JL. EXC series Guide unit 90-1 / AWT type
	S307				AD, AL, ALN, VL, SL, AP, AQ, EPOC, series
	S308	2087486	5x45	Bar guide	EPOC. AP. PGW. BF. JL. EXC series Guide unit 90-1 / AWT type
	S400	3050098 0200516	$\Phi 25 \times 24 / 58L$	Pulley E	AP. AW. BF. EPOC series Stainless flat type without groove
	S400C2	3050131 3050161	$\Phi 25 \times 24 / 58L$	Pulley E	AP. AW. BF. EPOC series Ceramic with 2mm groove
	S400C6	3050105 0200507	$\Phi 25$	Pulley E	AP. AW. BF. EPOC series Ceramic with 6mm groove
	S400F	3050106	$\Phi 25$	Pulley E	AP. AW. BF. EPOC series Stainless flat type set without groove
	S400FS	3050047 0200507	$\Phi 25 \times 24 / 58L$	Pulley E	AP. AW. BF. EPOC series Ceramic flat type set without groove
	S401	3050812	$\Phi 32 \times 19 \times 24H$	Pulley E	BF275 series Ceramic pulley E set Ref. AS5614
	S402	3051355	$\Phi 40 \times 19 \times 24H$	Pulley E	EPOC1100 series Ceramic pulley E set with 5mm groove Ref. AS5629A
	S403	3050152	$\Phi 40 \times 19 \times 24H$	Pulley E	AP200, BF275 series Feed roller without groove

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S404S	3052167	Φ40x19x24H	Pulley E	AP, BF275. EPOC series Ceramic pulley E set with 2mm groove
	S404-1			Shaft	AP. AW. BF. EPOC series For pulley AS-5543
	S404-2			Rubber seal	AP. AW. BF. EPOC series For pulley AS-5543
	S404-3			Cover	AP. AW. BF. EPOC series For pulley AS-5543
	S404-4	SS626LLB	16x18	Bearing	AP. AW. BF. EPOC series Bearing SS626LLB for pulley AS-5543
	S405S			Upper	AP200 series Belt wire roller
	S406	3086387	Φ18 38x38x10.5	Lower	AQ. 325L. 530L series AWT type / Nozzle base for S209W
	S406A	3086387	Φ18 45x45x10.5	Upper	A. EPOC. AP200~550. BF. JL series Spring ring type / Nozzle guide for S209
	S406-1	3086221 435196A 0205140	Φ29.5/22.8x1.6	Lower Spring ring	AQ. 325L. 530L series AWT type / Nozzle base ring for S209W
	S407	3081032 3082669	Φ22 45x45x10.5	Common	A. EPOC. AP200~550. BF. JL series O-ring type / Nozzle guide for S209
	S408	3082804 3082526	50x50x13.3 M16 Tap	Upper	A. EPOC. AP200~550. BF. JL series Manual type / Nozzle guide for S207
	S408L			Upper	A50. A350 series AWT type / Nozzle base
	S409	3082629 3081983	Φ60/22x10.5	Common	A320. A350 series Manual type / Nozzle base A
	S409-1	3082629 3081982	Φ18	Lower	A320. A350 series Nozzle guide C for L series
	S410		Φ100xΦ10x22	Upper	A350. 500. AP150. 330 Series Urethan roller with 1 hole & Keyhome
	S411	3051337 3050332 3051581	Φ100xΦ12x22	Upper	A350. 500. AP150. 330 Series Urethan roller with 1 Keyhome+2 small hole

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S412	3051572	Φ100/10x22/32	Upper	A350.500. AP150.330. BF Series Urethan roller with 4 hole on lower side
	S412-1			Upper	A350.500. AP150.330. BF Series Urethan roller with 6 hole on lower side
	S413		Φ100/7x22/32	Upper	BF275 old type Series
	S414A	3052771	Φ70xΦ12	Roller	A500W old type Stainless feed roller B with key home
	S414AC	3052147	Φ70xΦ12	Roller B	A500W. A320D. A530D series Ceramic feed roller B with key home
	S414B	3052149	Φ50x24H	Roller	BF275 series Feed roller B
	S414C	3052771 3052991	Φ70xΦ15	Roller B	A500W. A320D. A530D series Ceramic feed roller B with key home
	S415	3050193	Φ50x40H	Roller	EPOC600. 800 series Feed roller C
	S415A	3052772	Φ70xΦ22	Roller	A500W. A320D. A530D series Stainless feed roller C without key home
	S415AC	3052772	Φ70xΦ22	Roller	A500W. A320D. A530D series Ceramic feed roller C without key home
	S415C	3052992	Φ70xΦ24	Roller	A500W. A320D. A530D series Ceramic feed roller C without key home
	S415-1		Φ32xΦ12x35	Shaft	A500W. A320D. A530D series
	S415A-1		Φ32xΦ8x36.5	Shaft	A500W. A320D. A530D series
	S415-2			Block	A. AQ530 series Wire guide block
	S416	3053703 118402A	Φ100/10x20/35	Upper	AP. AQ325. 325L series Urethan tension roller M5x2, M4 neck on pillar

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S416-1	3053704	Φ100xΦ8x20	Upper	A530D. AQ325. 325L A50W1 series Urethan tension roller M5x2 on pillar
	S417	306710A	Φ100xΦ19x20	Upper	AP. AQ325L. AQ535 series Urethan tension roller / M5x2 on pillar Ref : 3053703
	S417-1	3054678	Φ100xΦ19 20x31.8T	Upper	AP. AQ325L. AQ535 series Urethan tension roller M5x2 on pillar
	S418	3051534	Φ100xΦ10x22	Upper	A320. 530, AQ325 series Urethan tension roller M5x2 on pillar
	S419		Φ22		A. AP. AQ530. EPOC. BFS series Dies driver
	S420	3052979	Φ40x18.9x12T	Upper	AD, AG, AQ series Uerthane roller
	S421	3052979	Φ40x18.9x20T	Upper	AD, AG, AQ series Uerthane roller
	S422		22x35	Dies driver	A. AP. AQ. EPOC. BF series
	S423		50x50x14	Upper Nozzle guide	AG series
	S424		150x45x2T	Cover	A. AP. AQ530. EPOC. BFS series Water cover
	S425		77.5x41.5x2T	Cover	A. AP. AQ530. EPOC. BFS series Water cover
	S426		Φ10.5		W400135D Cutter spring for AWT
	S450	3080653		Shaft	Guide shaft for AWT type
	S451	3083108		Shaft	Slide shaft for AWT type
	S452	3082521		Block	Slide block without shaft for AWT type

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S453	3082519		Upper	Dies block for AWT type
	S454	3082832	Φ35x3	Upper	Dies cover for AWT type
	S454S	3082519		Upper	Dies block for AWT type
	S455	3081247		Upper	BF275. A. EPOC series Dies block F for AWT Ref. S455-1 (S5013-1)
	S455-1			Upper	BF275. A. EPOC series Dies block F for AWT
	S455-2	3080952	Φ6xΦ12x75.5	Upper	BF275. A. EPOC series Bolt of dies block F for AWT
	S456A			Upper	A. Epoc, BF275 series Dies block for S461 (S5022)
	S456AS			Upper	A. Epoc, BF275 series Dies block set for S461 (S5022)
	S457	3082120		Upper	A300. A320D. A530Dseries Dies block Steel
	S457S	3082120		Upper	A300. A320D. A530Dseries Dies block set
	S458	3082520		Upper	A series Flange for AWT type
	S459	3082119		Upper	A series Flange for Manual type
	S460	3053114		Lower	A280. 300. 320. 530 series Flange for Manual type
	S461	3083114		Lower	A280. 300. 320. 530 series Flange for AWT type

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S462	3081035	10x5.5x18	Lower	A. EPOC series Electric pin
	S463	3051072		Lower	A280. 300 .320. 530 series Jet nozzle set
	S464	3050651	66x52.5x32.5	Common	A320D with AWT. A530D Aspirator block Usage together with S5028,5029,5030
	S465	3051509		Common	A280. 300 series A320D without AWT Aspirator block
	S466	3051507	Φ1xΦ16x25	Nozzle A	A. EPOC series Aspirator nozzle A
	S467	3053081	Φ2xΦ12x26.5	Nozzle B	A. EPOC series Aspirator nozzle B
	S468	3053082	Φ2xΦ16/12x40	Nozzle C	A. EPOC series Aspirator nozzle C
	S469	3051202	Φ68	Lower	A series Set of ceramic pulley B Ref : MW402811N, 3054736
	S470	3051799	Φ68x22x12	Lower	A series Ceramic pulley B
	S471	3051262	72x58/30x25	Lower	A500. A500H series Block for ceramic pulley B
	S472		72x58/30x25	Lower	Doosan-ACE series Block for ceramic pulley B
	S473	3051255	55x28/10x25T	Lower	A500. A500H series Pipe holder for pulley B
	S474		20x113	Lower	Doosan-ACE series
	S475		24x20x46	Nozzle	Ceramic nozzle

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S476		67x57x30x71		A500. A500H series Ceramic block
	S477		91x65x40		AQ550L Aspirator block
	S478	118534C	OD70x25T	Roller	AQ300L, AQ537/537L, AQ327, SL400, 600 series Ref : with 4 hole
	S479	118535D	OD70x26.5T	Roller	AQ300L, AQ537/537L, AQ327, SL400, 600 series Ref : with 8 hole and key groove
	S480		Φ15x173L	Shaft	BF275 series Shaft for feed roller B
	S481		Φ15x163L	Shaft	BF275 series Shaft for feed roller B
	S482	3050345	Φ20x158L		BF275 series Shaft for feed roller D
	S483	3050351	Φ18x184L		BF275 series Shaft for feed roller C
	S484	3050347	Φ18x180L		BF275 series Shaft for feed roller B
	S485	3050349	Φ18x144L		BF275 series Shaft for feed roller A
	S486		Φ50xΦ32x24		A320. A530 series Roller C without bearing
	S487			Dies block	A300. 320. A530 series Block wire guide
	S488		Φ16/10x27		A320 series Pin connector
	S489	3051557	Φ16/10x50		A530D series Pin connector

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
 SEDEX	S490	3001001	440x30		A500 series Bellows Z
 SEDEX	S491	3080625	150x30		EPOC600 series Bellows B
 SEDEX	S492	3030105	120x40		EPOC800 series Bellows Y
 SEDEX	S493	3021390	150x25		EPOC1100 series Bellows Z
 SEDEX	S494	3081463	122x25		BF275 series Bellows Y
 SEDEX	S495				A350. A500. A530D. EPOC series Casting unit
 SEDEX	S496				A320. BF275 series Casting unit
 SEDEX	S497	3050314			BF275 EPOC series Bobbin shaft
	S498	3050646			A350. A500 series Roller plate gear type
 SEDEX	S499	3051345			A350. A500 series Clamp shaft for S498/502 (S5091/5092)
 SEDEX	S500	118507A 118573A B12987A	750Lx175Wx6T	Packing plate	
 SEDEX	S501	3031972 3032013 (0210031)	Φ7x1M Φ6x1M	Round seal	
 SEDEX	S502				A350. A500 series Roller plate belt type
 SEDEX	S503		Φ16xΦ10x50		A320. 530 series Roller plate belt type
 SEDEX	S504			Suction block	A series
















Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S505	2040849	32x10x17	Bevel gear	A320. A500 series
	S506	3052148	18x122	Shaft B	A300. 320. A500 series Roller shaft belt type
	S507	3052148	20x113	Shaft	A300. 320. A500 series Roller shaft gear type
	S508			Nozzle guide	AQ327. AQ537 Size : 53x45x18x10.5T
	S509	3091131	52x20	Cutter	
	S510	3110112		Nozzle base	AG, AQ600L
	S511	3110316		Nozzle base	AG, AQ600L
	S600	3080375	Φ2.0-Φ1.0	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0200429
	S600-1	3080374	Φ2.0-Φ0.7	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0200428
	S600-2	3083256	Φ2.0-Φ0.5	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0204185
	S601	3083123 3080297	Φ2.0-Φ0.3	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0204246
	S602	3082452	Φ2.0-Φ1.0	Pipe-195L	A300/320. BF275 series AWT type Ref : old no. 0204013
	S603	3085966 0205149	Φ2.0-Φ1.0	Pipe-275L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205149
	S603-1	3085967	Φ2.0-Φ0.7	Pipe-275L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205150
	S603-2	3086929	Φ2.0-Φ0.5	Pipe-275L	AQ series Slide belt for AWT type Ref : 0205188

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S604	436849C	Φ2.0-Φ1.0	Pipe-285L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205851
	S604-1	436850C	Φ2.0-Φ0.7	Pipe-285L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205852
	S604-2	436851C	Φ2.0-Φ0.5	Pipe-285L	AQ600/550L series Guide unit 97 / AWT type
	S604-3	436937C 0205850	Φ2.0-Φ1.4	Pipe-285L	AQ series Super Jet AWT
	S605	436296A 0206119	Φ2.0-Φ1.4	Pipe-235L	AD series Super Jet AWT
	S605-1	436309B 0206118	Φ2.0-Φ0.7	Pipe-235L	AD series Super Jet AWT
	S606	0206090	Φ2.0-Φ1.4	Pipe-255L	AG, AQ360, 560LX series Super Jet AWT
	S606-1	0206091	Φ2.0-Φ1.0	Pipe-255L	AG, AQ360, 560LX series Super Jet AWT
	S606-2	0206092	Φ2.0-Φ0.7	Pipe-255L	AG, AQ360, 560LX series Super Jet AWT
	S607	3110014 0206138	Φ3.0-Φ2.0	Pipe-250L	AD360. AG360. AQ, VL400/600L series FJ AWT type
	S608	0206164	Φ3.0-Φ2.0	Pipe-290L	AD360. AG360. AQ, VL400/600L series FJ AWT type
	S609	3110879 0206168	Φ3.5-Φ3.1	Pipe-307L	AD360. AG360. AQ, VL400/600L series FJ AWT type
	S610	3052518	77Lx50x24	Upper Guide block	A, AP, AQ, EPOC series
	S611	3082120		Dies block	A series Manual type Brass
	S612	3081039	Φ30	Guaging ring	A, AP, AQ, EPOC series Alinement block for manual

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S613		Φ19x8x6	Bearing	S698Z
	S614		Φ19x10x7	Bearing	S6380ZZ
	S615		Φ16x8x5	Bearing	S688ZZ
	S616	2090373		Bearing	CF5 THK bearing
	S700	3080711	L=335mm	Slide Belt	A350 series Slide belt for AWT type
	S701	3082451	L=195mm	Belt	A325/300. BF275 series Slide belt for AWT
	S702	3081706	L=385mm	Belt	A500. 750 series Slide belt for AWT
	S703	3080696	Φ6.35x17.8H	Spring	A. AQ. BF series Spring for AWT slide belt
	S704	3081414 0204581		Wave washer	A, AP, AQ, EXC, EPOC, BF series FJ, 85, 90 type AWT
	S705U	116501A	L=650 W=50pin	Cable	AQ325 series 1Set = 2Pcs
	S705L	3087260	L=650 W=50pin	Cable	AQ325 series 1Set = 2Pcs
	S706U	216427B	L=700 W=50pin	Upper-L	AQ327 series
	S706U-1	216428B	L=700 W=50pin	Upper-R	AQ327 series
	S706L	3087260	L=650 W=50pin	Lower	AQ327 series
	S707U	3088180	L=1200 W=64pin	Upper	AQ360 series
	S707LA	3088160	L=400 W=50pin	Lower-1	AQ360 series

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S707LB	3088159	L=200 W=50pin	Lower-2	AQ360 series
	S708U	3110163	L=1200 W=64pin	Upper	AQ400 series
	S708L	3110162	L=550x2 W=50pin	Lower	AQ400 series
	S709U	3087630	L=900 W=50pin	Upper	AQ535 series
	S709L	3087630 116492A	L=900 W=50pin	Lower	AQ535 series
	S710U	116681A	L=950 W=50pin	Upper	AQ537 series
	S710L	3087630	L=900 W=50pin	Lower	AQ537 series
	S711U	3087079	L=1200 W=64pin	Upper	AQ550 series
	S711L	3087038	L=600x2 W=50pin	Lower	AQ550 series
	S712U	3088160 3088802	L=1200 W=64pin	Upper	AQ560 series
	S712L	3088801	L=600x2 W=50pin	Lower	AQ560 series
	S713U	3110136	L=1200 W=64pin	Upper	AQ600 series
	S713L	3110137	L=700x2 W=50pin	Lower	AQ600 series
	S714U	116687A	L=1000 W=50pin	Upper	AQ750 series Right/Left
	S714L	3087630	L=950 W=50pin	Lower	AQ750 series Right/Left

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S715U		L=820 W=50pin	Upper	AG400 series
	S715LA		L=500 W=50pin	Lower	AG400 series
	S715LB	2072487	L=740	Lower	AG600 series
	S716UA	216506B	L=1050 W=50pin	Upper	AG600 series Left
	S716UB	216507B	L=1050 W=50pin	Upper	AG600 series Right
	S716L	11614XA	L=700 W=50pin	Lower	AG600 series Right/Left
	S717	11615XA	L=450 W=50pin	Upper	AG400 series
	S718	116492A	L=850 W=50pin	Upper	AQ series
	S719	11654EE	L=1500 W=50pin	Upper	SI600Q series
	S720U	3088180	L=1200 W=64pin	Upper	AD360 series
	S720L	x	L=400x2 W=50pin	Lower	AD360 series

Sodick

Conveyor Belt

Code No	OEM No	Width x Length	Available	Code No	OEM No	Width x Length	Available
BS501	3050123	18 x 465	O	BS529	2040995	18 x 3715	O
BS502	3050117	18 x 2600	O	BS530	2040610	18 x 3895	O
BS503	3050120	18 x 3150	O	BS531	2040611	18 x 3970	O
BS504	2040061	18 x 2680	O	BS532	2040779	18 x 3870	O
BS505	2040068	18 x 3235	O	BS533	2040817	18 x 3820	O
BS506	3050125	42 x 1590	O	BS534	2040497	18 x 1705	O
BS507	3050126	42 x 1665	O	BS535	2040053	18 x 1740	O
BS508	3050128	18 x 2700	O	BS536	2040138	18 x 1690	O
BS509	3050121	18 x 3255	O	BS537	2040139	18 x 1785	O
BS510	3050127	42 x 1916	O	BS538	2040049	18 x 1595	O
BS511	3050128	42 x 2010	O	BS539	2040050	18 x 1630	O
BS512	2040062	18 x 2780	O	BS540	2040140	18 x 1580	O
BS513	2040069	18 x 3335	O	BS541	2040141	18 x 1675	O
BS514	2040076	42 x 1945	O	BS542	2040055	18 x 1795	O
BS515	2040077	42 x 2040	O	BS543	2040056	18 x 1830	O
BS516	2050115	18 x 1340	O	BS544	2040142	18 x 1780	O
BS517	2050119	18 x 2960	O	BS545	2040143	18 x 1875	O
BS518	2040074	18 x 3840	O	BS546	2040058	18 x 1985	O
BS519	2040048	18 x 1350	O	BS547	2040059	18 x 2020	O
BS520	2040066	18 x 3034	O	BS548	2040144	18 x 1970	O
BS521	2040075	18 x 3950	O	BS549	2040145	18 x 2065	O
BS522	2040774	18 x 3045	O	BS550	2040536	18 x 2360	O
BS523	2040773	18 x 3085	O	BS551	2040634	18 x 2520	O
BS524	2040814	18 x 3434	O	BS552	2040534	18 x 1370	O
BS525	2040813	18 x 3475	O	BS553	2040535	18 x 1390	O
BS526	2040996	18 x 3670	O	BS554	2041088	18 x 1890	O

